

Crops(s) **Pulse crops**

Disease(s) **Grey mould (*Botrytis*) and ascochyta**

Resistance management strategy for:

Group 1	Methyl benzimidazole carbamates;
Group 2	Dicarboximide;
Group 3+11	Demethylation inhibitors (DMI) + Quinone outside inhibitor (QoI);
Group 7*	Succinate dehydrogenase inhibitors (SDHI);
Group 7+3	SDHI + DMI; and
Group 7+12	SDHI + phenylpyrroles (PP).

Guidelines:

1. **Do not** apply more than two **Group 1, 2, 3+11, 7+3** or **7+12** sprays in one season (including seed treatment).
2. **Do not** apply more than two consecutive **Group 1, 2** or **7** sprays, including from season to season and seed treatments. The final foliar spray of the previous season should be considered when planning which fungicide group to use in seed treatments and the first foliar application. **Group 7** containing sprays should not make up more than one in every three of the spray program.
3. If a **Group 7** containing fungicide is used as a seed treatment, the first foliar fungicide used must not contain a **Group 7** fungicide.
4. No specific resistance management strategy has been developed for low-risk fungicides, including those in **Group M** and **BM**. These products should be included in a management strategy as per label recommendations.

** Currently only available under temporary permit. Always check the permits are valid prior to use.*

Please note:

This strategy is a guide only and does not endorse particular products, groups of products or cultural methods in terms of their performance. Always follow the product label for specific use instructions. While all effort has been made with the information supplied in this document, no responsibility, actual or implied, is taken for the day to day accuracy of product or active constituent specific information. Readers should check with the Australian Pesticides and Veterinary Medicines Authority's product database for contemporary information on products and actives. The database can be sourced through www.apvma.gov.au. The information given in this strategy is provided in good faith and without any liability for loss or damage suffered as a result of its application and use. Advice given in this strategy is valid as at 14 July 2023. All previous versions of this strategy are now invalid.